

The University of Kansas Paleontological Contributions

Roger. L. Kaesler, Editor

Order from:

The Paleontological Institute
The University of Kansas
Lindley Hall
1475 Jayhawk Blvd, Room 121
Lawrence, KS 66045
USA
785-864-3338
<http://paleo.ku.edu>

NEW SERIES ISSN 1046-8390

- 1 Denver, L. E. and R. L. Kaesler. Paleoenvironmental significance of stromatolites in the Americus Limestone Member (Lower Permian, Midcontinent, USA), 11 p., 12 fig.
- 2 Kontrovitz, M., N. R. Ainsworth, R. D. Burnett, and J. M. Slack. 1992. Induced color in ostracode shells: an experimental study, 10 p., 1 fig.
- No. 1, 2 in one cover. _____ 5.00
- 3 Palmer, A. R. and L. N. Repina. 1993. Through a glass darkly: taxonomy, phylogeny, and biostratigraphy of the Olenellina, 35 p., 13 fig. 5.00
- 4 Hageman, S. J. 1993. Effects of nonnormality on studies of morphological variation of a Rhabdomesine bryozoan, *Streblotrypa (Streblascopora) prisca* (Gabb and Horn), 13 p., 4 fig. 5.00
- 5 Doyle, P., D. T. Donovan, and M. Nixon. 1994. Phylogeny and systematics of the Coleoidea, 15 p., 4 fig. 5.00
- 6 Finks, R. M. 1995. Some New Genera of Paleozoic Calcareous Sponges, 6 p., 11 fig. 5.00
- 7 Rigby, J. K., and B. Senowbari-Daryan. 1995. Upper Permian Inozoid, Demospongid, and Hexactinellid Sponges from Djebel Tebaga, Tunisia, 130 p., 37 fig., 11 tables, 81 pl. 5.00
- 8 Krebs, J. W., R. L. Kaesler, E. A. Brosius, D. L. Miller, and Y.-M. Chang. 1996. PaleoBank, A Relational Database for Invertebrate Paleontology: The Data Model, 7 p., 1 fig., 2 tables. 5.00
- 9 Ausich, W. I. 1998. Phylogeny of Arenig to Caradoc crinoids (Phylum Echinodermata) and suprageneric classification of the Crinoidea, 36 p., 11 fig., 3 tables. 10.00
- 10 Pachut, J. F., & R. J. Cuffey. 1999. Stratigraphic and Geographic Bryozoan Abundance Gradients in the Calcareous Shales of the Wreford Megacyclothem (Lower Permian, Kansas), 17 p., 3 fig., 13 tables.
- 11 Storrs, G. W. 1999. An examination of Plesiosauria (Diapsida: Sauropterygia) from the Niobrara Formation (Upper Cretaceous) of central North America, 13 p., 4 fig., 1 table.
- No. 10, 11 in one cover. _____ 10.00
- 12 Fernando Alvarez and Covadonga Brime. 2000. Type Specimens of Athyridid Brachiopods from the James Hall Collection, 15 p., 4 fig.

- 13 D. A. Burnham, K. L. Derstler, P. J. Currie, R. T. Bakker, Zhou Z., and J. H. Ostrom. 2000. Remarkable New Birdlike Dinosaur (Theropoda: Maniraptora) from the Upper Cretaceous of Montana, 14 p., 8 fig., 2 tables.

No. 12, 13 in one cover. _____ 10.00

PAPERS ISSN 0075-5052

- 1 Bardack, David. 1965. New Upper Cretaceous teleost fish from Texas. 10 p., 2 fig.
- 2 Eaton, T. H., Jr. 1965. A new Wyoming phytosaur. 6 p., 2 fig.
No. 1, 2. _____ 5.00
- 3 Klapper, G. 1966. Upper Devonian and Lower Mississippian conodont zones in Montana, Wyoming, and South Dakota. 44 p., 6 pl., 2 fig. 7.00
- 4 Skinner, J. W., and G. L. Wilde. 1966. Permian fusulinids from Pacific northwest and Alaska, 114 p., 49 pl., 10 fig. 15.00
- 5 Stover, L. E., W. C. Elsik, and W. W. Fairchild. 1966. New genera and species of early Tertiary palynomorphs from Gulf Coast. 16 p., 5 pl.
- 6 Bebout, D. G. 1966. Upper Pennsylvanian Conemaugh corals from Ohio. 16 p., 6 pl., 2 fig.
No. 5, 6. _____ 5.00
- 7 Rowell, A. H. 1966. Revision of some Cambrian and Ordovician inarticulate brachiopods. 36 p., 4 pl., 33 fig. 5.00
- 8 Skinner, J. W., and G. L. Wilde. 1966. Permian fusulinids from Sicily. 16 p., 20 pl., 1 fig. 5.00
- 9 Rhodes, F. H. T., W. Häntzschel, K. H. Müller, D. W. Fisher, and C. Teichert. 1966. *Treatise on Invertebrate Paleontology*, Part W, conodonts, conoidal shells, worms, trace fossils: comments and additions. 18 p., 21 fig. 5.00
- 10 Kaesler, R. L. 1966. Quantitative re-evaluation of ecology and distribution of recent foraminifera and Ostracoda of Todos Santos Bay, Baja California, Mexico. 50 p., 23 fig. 10.00
- 11 Williams, R. B. 1966. Recent marine podocopid Ostracoda of Narragansett Bay, Rhode Island. 36 p., 27 fig. 7.00
- 12 Maddocks, R. F. 1966. Distribution patterns of living and subfossil podocopid ostracodes in the Nosy Bé area, northern Madagascar. 72 p., 63 fig. 10.00
- 13 Skinner, J. W., and G. L. Wilde. 1966. Type species of *Pseudofusulina* Dunbar and Skinner. 8 p., 3 pl. 5.00
- 14 Spencer, R. S. 1967. Pennsylvanian Spiriferacea and Spiriferinacea of Kansas. 36 p., 22 fig. 5.00
- 15 Rowell, A. J., and A. J. Rundle. 1967. Lophophore of the Eocene brachiopod *Terebratulina wardenensis* Elliott. 8 p., 2 fig. 5.00
- 16 Sorauf, J. E. 1967. Massive Devonian Rugosa of Belgium. 42 p., 19 fig. 5.00
- 17 Moore, R. C. 1967. Unique stalked crinoids from Upper Cretaceous of Mississippi. 36 p., 8 pl., 8 fig. 5.00
- 18 Bandel, K. 1967. Trace fossils from two Upper Pennsylvanian sandstones in Kansas. 14 p., 5 pl., 3 fig.
- 19 Bandel, K. 1967. Isopod and limulid marks and trails in Tonganoxie Sandstone (Upper Pennsylvanian) of Kansas. 10 p., 4 pl.

No. 18, 19.	5.00
20 Gartner, S., Jr., and L. A. Smith. 1967. Coccoliths and related calcareous nannofossils from the Yazoo Formation (Jackson, late Eocene) of Louisiana. 8 p., 12 pl.	5.00
21 Miller, T. H. 1967. Techniques for processing and photographing chitinozoans. 10 p., 4 pl., 1 fig.	5.00
22 Ubaghs, G. 1967. Le genre <i>Ceratocystis</i> Jaekel (Echinodermata, Stylophora). 16 p., 2 pl., 7 fig.	5.00
23 Haglund, W. M. 1967. Brachiopod genus <i>Enteletes</i> in Pennsylvanian deposits of Kansas. 30 p., 8 pl., 14 fig.	7.00
24 Lane, N. G. 1967. Revision of suborder Cyathocrinina (class Crinoidea). 13 p., 8 fig.	
25 Lane, N. G., and G. D. Webster. 1967. Symmetry planes of Paleozoic crinoids. 2 p., 1 fig.	
No. 24, 25.	5.00
26 Callison, G. 1967. Intracranial mobility in Kansas mosasaurs. 16 p., 19 fig.	5.00
27 Webster, G. D., and N. G. Lane. 1967. Additional Permian crinoids from southern Nevada. 32 p., 8 pl., 4 fig.	7.00
28 Gartner, S., Jr. 1967. Nannofossil species related to <i>Cyclococcolithus leptoporus</i> (Murray and Blackman). 6 p., 2 pl.	
29 Gartner, S., Jr. 1967. Calcareous nannofossils from Neogene of Trinidad, Jamaica, and Gulf of Mexico. 8 p., 10 pl.	
No. 28, 29.	5.00
30 Skinner, J. W., and G. L. Wilde. 1967. Permian Foraminifera from Tunisia. 22 p., 32 pl., 3 fig.	7.00
31 Conkin, J. E., and B. M. Conkin. 1968. <i>Scalarituba missouriensis</i> and its stratigraphic distribution. 8 p., 4 pl.	5.00
32 Stough, J. B. 1968. Palynomorphs from South America. 12 p., 4 pl., 5 fig.	5.00
33 Cocks, J. M., and A. L. Bowsher. 1968. New tabulate genus <i>Sutherlandia</i> (Coelenterata, Anthozoa) from Pennsylvanian of Oklahoma and Kansas. 8 p., 3 fig.	5.00
34 Reid, R. E. H. 1968. <i>Tremacystia</i> , <i>Barroisia</i> , and the status of Sphinctozoida (Thalamida) as Porifera. 10 p., 4 fig.	5.00
35 Reid, R. E. H. 1968. Microscleres in demosponge classification. 38 p., 10 fig.	7.00
36 Skinner, J. W. 1969. Permian foraminifera from Turkey. 14 p., 32 pl., 2 fig.	5.00
37 Fischer, A. G., and C. Teichert. 1969. Cameral deposits in cephalopod shells. 30 p., 4 pl., 8 fig.	5.00
38 Ubaghs, G. 1969. <i>Aethocrinus moorei</i> Ubaghs, n. gen., n. sp., le plus ancien crinoide dicyclique connu. 26 p., 3 pl., 9 fig. Abstract in English.	5.00
39 Moore, R. C., and H. L. Strimple. 1969. Explosive evolutionary differentiation of unique group of Mississippian-Pennsylvanian camerate crinoids (Acrocrinidae). 44 p., 24 fig.	7.00
40 Burdick, D. W., and H. L. Strimple. 1969. Revision of some Chesteran inadunate crinoids. 14 p., 1 pl., 2 fig.	5.00
41 Jeletzky, J. A. 1969. New or poorly understood Tertiary sepiids from southeastern United States and Mexico. 40 p., 3 pl., 2 fig.	7.00
42 Strimple, H. L., C. O. Levorson, M. R. McGinnis, R. C. Moore, and A. Priest. 1969. Fossil crinoid studies. 26 p., 9 fig.	5.00

43	Tasch, P., E. Kidson, and J. H. Johnson. 1969. Lower Permian algal stromatolites from Kansas and Oklahoma. 20 p., 10 fig.	5.00
44	Cocke, J. M. 1969. Taxonomic and environmental study of two dibunophyllid coral species from Upper Pennsylvanian rocks of Kansas. 12 p., 4 fig.	5.00
45	Sliter, W. V. Three inner-neritic recent foraminifers from southern California. 6 p., 6 pl.	
46	Frerichs, W. E. 1969. Recent arenaceous foraminifers from Gulf of Mexico. 21 pl. No. 45, 46.	5.00
47	Kullmann, J. and J. Wiedmann. 1970. Significance of sutures in phylogeny of Ammonoidea. 32 p., 15 fig.	7.00
48	Gautier, T. G. 1970. Interpretive morphology and taxonomy of bryozoan genus <i>Tabulipora</i> . 22 p., 8 pl., 9 fig.	5.00
49	Sweet, W. C. 1970. Permian and Triassic conodonts from a section at Guryul Ravine, Vihi District, Kashmir. 12 p., 1 pl., 3 fig.	5.00
50	Tasch, P. and W. Volkheimer. 1970. Jurassic conchostracans from Patagonia. 24 p., 19 fig.	5.00
51	Furnish, W. M., W. B. Saunders, D. W. Burdick, and H. L. Strimple. 1971. Faunal studies of the type Chesteran, Upper Mississippian of southwestern Illinois. 48 p., 7 pl., 4 fig.	7.00
52	Elias, M. K. 1971. Concept of common bud and related phenomena in Bryozoa. 22 p., 12 fig.	5.00
53	Skinner, J. W. 1971. New Lower Permian fusulinids from Culberson County, Texas. 10 p., 20 pl.	5.00
54	Kauffman, A. E. 1971. Chitinozoans in the subsurface Lower Paleozoic of West Texas. 12 p., 16 pl., 4 fig.	5.00
55	Strimple, H. L., and R. C. Moore. 1971. Crinoids of the Francis Shale (Missourian) of Oklahoma. 20 p., 10 fig.	5.00
56	Strimple, H. L., R. C. Moore, R. C. Allison, G. L. Kline, A. S. Horowitz, D. R. Boardman II, and J. F. Miller. 1971. Fossil crinoid studies. 40 p., 17 fig.	7.00
57	Skinner, J. W. 1971. The fusulinid genera <i>Polydiexodina</i> and <i>Skinnerina</i> . 10 p., 8 pl., 1 fig.	5.00
58	Teichert, C., and C. Spinosa. 1971. Cretaceous and Tertiary rhyncholites from the western Atlantic Ocean and from Mississippi. 10 p., 4 pl., 1 fig.	5.00
59	Williams, M. E. 1972. The origin of "spiral coprolites." 20 p., 8 pl., 10 fig.	5.00
60	Kaesler, R. L., and J. A. Waters. 1972. A census of Holocene species of <i>Xestoleberis</i> (Ostracoda, Podocopida) from the southern oceans. 36p., 12 fig.	7.00
61	Cadot, H. M., and R. L. Kaesler. 1973. Variation of carapace morphology of bairdiacean and cytheracean Ostracoda from Bermuda. 10 p., 2 fig.	5.00
62	Donovan, D. T. The influence of theoretical ideas on ammonite classification from Hyatt to Trueman. 16 p., 4 fig.	
63	Getty, T. A. 1973. A revision of the generic classification of the family Echinoceratidae (Cephalopoda, Ammonoidea) (Lower Jurassic). 38 p., 5 pl., 4 fig. No. 62, 63.	7.00
64	Donovan, D. T., and G. F. Forsey. 1973. Systematics of lower Liassic Ammonitina. 24 p., 4 pl.	5.00

- 65 Warner, D. J., and R. J. Cuffey. 1973. *Fistuliporacean bryozoans of the Wreford megacyclothem (Lower Permian) of Kansas.* 24 p., 3 pl., 5 fig. 5.00
- 66 Strimple, H. L., and R. C. Moore. 1973. *Fossil crinoid studies.* 38 p., 25 fig. 7.00
- 67 Brower, J. C. 1974. *Upper Ordovician xenocrinids (Crinoidea, Camerata) from Scotland.* 26 p., 3 pl., 5 fig. 5.00
- 68 Teichert, C., and M. Rilett. 1974. *Revision of Permian Ecce Series cephalopods, Natal, South Africa.* 10 p., 1 pl., 1 fig. 5.00
- 69 Chang, Y. M., and R. L. Kaesler. 1974. *Morphological variation of the foraminifer *Ammonia beccarii* (Linné) from the Atlantic coast of the United States.* 24 p., 4 fig. 5.00
- 70 Hodgkinson, K. A.. 1974. *Stone City and Cook Mountain (middle Eocene) scaphopods from southwest Texas.* 26 p., 8 pl., 9 fig. 5.00
- 71 Teichert, C., and R. E. Crick. 1974. *Endosiphuncular structures in Ordovician and Silurian cephalopods.* 14 p., 3 pl., 4 fig. 5.00
- 72 Brower, J. C. 1974. *Ontogeny of camerate crinoids.* 54 p., 20 fig. 7.00
- 73 Pabian, R. K., and H. L. Strimple. 1974. *Fossil crinoid studies.* 54 p., 30 fig. 7.00
- 74 Macurda, D. B., Jr., and D. L. Meyer. *The microstructure of the crinoid endoskeleton.* 52 p., 30 pl.
- 75 Roux, M. 1975. *Microstructural analysis of the crinoid stem.* 10 p., 2 pl., 4 fig. 8.00
No. 74, 75.
- 76 Strimple, H. L. 1975. *Middle Pennsylvanian (Atokan) crinoids from Oklahoma and Missouri.* 30 p., 17 fig. 5.00
- 77 Baxter, R. W. 1975. *Fossil fungi from America Pennsylvanian coal balls.* 10 p., 4 pl. 5.00
- 78 Lister, K. H. 1975 *Quaternary freshwater Ostracoda from the Great Salt Lake Basin, Utah.* 40 p., 5 pl., 34 fig. 7.00
- 79 Strimple, H. L. 1975. *New Chesterian (Upper Mississippian) crinoids from Illinois.* 12 p., 3 pl. 5.00
- 80 Maerz, R. H., Jr., R. L. Kaesler, and W. G. Hakes. 1976. *Trace fossils from the Rock Bluff Limestone (Pennsylvanian, Kansas).* 8 p., 2 pl., 1 fig. 5.00
- 81 Lutz-Garihan, A. B. 1976. **Composita subtilita* (Brachiopoda) in the Wreford Megacyclothem (Lower Permian) in Nebraska, Kansas, and Oklahoma,* 22 p., 2 pl., 8 fig. 5.00
- 82 Perkins, T. W. 1976. *Textures and conditions of formation of Middle Pennsylvanian coal balls, central United States,* 14 p., 5 fig. 5.00
- 83 Zidek, J. 1976. *Kansas Hamilton Quarry (Upper Pennsylvanian) *Acanthodes*, with remarks on the previously reported North American occurrences of the genus,* 48 p., 7 pl., 15 fig. 7.00
- 84 Fry, H. C., and R. J. Cuffey. 1976. **Filiramoporina kretaphilia*—a new genus and species of bifoliate tubulobryozoan (Ectoprocta) from the Lower Permian Wreford Megacyclothem of Kansas,* 12 p., 2 pl., 3 fig. 5.00
- 85 Baxter, R. W., and R. W. Baxendale. 1976. **Corynepteris involucrata*, sp. nov., a new fertile fern of possible zygoterid affinities from the Pennsylvanian of Kansas,* 16 p., 7 pl., 1 fig. 5.00
- 86 Stanley, G. D., Jr., and C. Teichert. 1976. *Lamellorthoceratids (Cephalopoda, Orthoceroidea) from the Lower Devonian of New York,* 18 p., 2 pl., 2 fig. 5.00
- 87 Cadot, H. M., Jr., and R. L. Kaesler. 1977. *Magnesium content of calcite in carapaces of benthic armine Ostracoda,* 24 p., 6 fig. 5.00

88	Crick, R. E. 1978. Morphological variations in the ammonite <i>Scaphites</i> of the Blue Hill Member, Carlile Shale, Upper Cretaceous, Kansas, 30 p., 2 pl., 7 fig.	5.00
89	Chorn, John, E. A. Reavis, J. D. Stewart, and K. N. Whetstone. 1978. Fossil fish studies, 20 p., 8 fig.	5.00
90	Jell, P. A., and R. A. Robison. Revision of a late Middle Cambrian trilobite faunule from Northwestern Queensland, 26 p., 4 pl., 2 fig.	
91	Robison, R. A. 1978. Origin, taxonomy, and homeomorphs of <i>Doryagnostus</i> (Cambrian Trilobita), 12 p., 2 pl., 3 fig.	
	No. 90, 91. _____	5.00
92	Maerz, R. H., Jr. 1978. Paleoautecology of <i>Caninia torquia</i> (Owen) from the Beil Limestone Member (Pennsylvanian, Virgilian), Kansas, 24 p., 2 pl., 12 fig.	5.00
93	Rowell, A. J., and R. A. Henderson. 1978. New genera of acrotretids from the Cambrian of Australia and the United States, 14 p., 2 pl., 8 fig.	5.00
94	Baxter, R. W. 1978. <i>Sphenopteris sellardsii</i> , a problematical pteridosperm from the Permian of Kansas, 8 p., 4 fig.	5.00
95	Harrison, J. A. 1979. Revision of the Camelinae (Artiodactyla, Tylopoda) and description of the new genus <i>Alforjas</i> , 28 p., 7 pl., 3 fig.	5.00
96	Tway, L. E. 1979. Pennsylvanian ichthyoliths from the Shawnee Group of eastern Kansas, 24 p., 9 fig., 2 pl.	5.00
97	Krancer, A. E. 1980. Revision of the Mesozoic nannofossil genera <i>Bidiscus</i> , <i>Biscutum</i> , and <i>Discorhabdus</i> , 12 pl., 3 fig.	5.00
98	Rowell, A. J. 1980. Inarticulate Brachiopods of the Lower and Middle Cambrian Pioche Shale of the Pioche District, Nevada, 26 p., 8 pl., 12 fig., 3 tables	5.00
99	Miller, James F. 1980. Taxonomic revisions of some Upper Cambrian and Lower Ordovician Conodonts with comments on their Evolution, 39 p. 6 fig., 2 pl.	5.00
100	Peterson, R. M., and R. L. Kaesler. 1980. Distribution and diversity of ostracode assemblages from the Hamlin Shale and the Americus Limestone (Permian, Wolfcampian) in northeastern Kansas, 26 p., 11 fig.	5.00
101	Simonsen, August H., and Roger J. Cuffey. 1980. Fenestrate, Pinnate, and Ctenostome Bryozoans and Associated Barnacle Borings in the Wreford Megacyclothem (Lower Permian) of Kansas, Oklahoma, and Nebraska, 38 p., 11 fig., 11 tables.	5.00
102	Martin, Larry D. 1980. The Early Evolution of the Cricetidae in North America, 42 p., 26 fig.	
103	Martin, Larry D. and R. G. Corner. 1980. A New Genus of Cricetid Rodent from the Hemingfordian (Miocene) of Nebraska, 5 p., 2 fig.	
	No. 102, 103. _____	5.00
104	Stainforth, R. M., and J. L. Lamb. 1981. An evaluation of planktonic foraminiferal zonation of the Oligocene, 42 p., 8 pl., 7 fig.	7.00
105	Brower, J. C., and J. Veinus. 1981. Allometry in pterosaurs, 32 p., 19 fig.	7.00
106	Robison, R. A., and B. C. Richards. 1981. Larger bivalve arthropods from the Middle Cambrian of Utah, 28 p., 9 pl., 4 fig.	5.00
107	Al-Furiah, A. A. F. Paleocene and Lower Eocene Ostracoda from the Umm er Radhuma Formation of Saudi Arabia, 10 p., 3 pl., 1 fig.	
108	Al-Furiah, A. A. F. 1983. Middle Cretaceous (Cenomanian Ostracoda from the Wasia Formation of Saudi Arabia, 6 p., 1 pl., 1 fig.	
	No. 107, 108. _____	5.00

109	Robison, R. A. 1984. Cambrian Agnostida of North America and Greenland, Part I, Ptychagnostidae, 60 p., 32 fig.	7.00
110	Broadhead, T. W. 1984. <i>Macurdablastus</i> , a Middle Ordovician blastoid from the southern Appalachians, 10 p., 3 fig.	5.00
111	Briggs, D. E. G., and R. A. Robison. Exceptionally preserved nontrilobite arthropods and <i>Anomalocaris</i> from the Middle Cambrian of Utah, 24 p., 15 fig.	
112	Robison, R. A. 1984. New occurrences of the unusual trilobite <i>Naraoia</i> from the Cambrian of Idaho and Utah, 8 p., 3 fig.	
	No. 111, 112. _____	5.00
113	Schultze, H.-P. Marine to onshore vertebrates in the Lower Permian of Kansas and their paleoenvironmental implications, 18 p., 11 fig.	
114	McAllister, J. A. 1985. Reevaluation of the formation of spiral coprolites, 12 p., 9 fig.	
	No. 113, 114. _____	5.00
115	Ubaghs, G., and R. A. Robison. A new homoiostelean and a new eocrinoid from the Middle Cambrian of Utah, 24 p., 16 fig.	
116	Sprinkle, J. 1985. New edrioasteroid from the Middle Cambrian of western Utah, 4 p., 1 fig.	
	No. 115, 116. _____	5.00
117	Conway M. S. and R. A. Robison. 1985. Middle Cambrian priapulids and other soft-bodied fossils from Utah and Spain, 22 p., 11 fig.	5.00
118	Maness, T. R., and R. L. Kaesler. 1987. Ontogenetic changes in the carapace of <i>Tyrrhenocythere amnicola</i> (Sars), a hemicytherid ostracode, 15 p., 12 fig.	5.00
119	Webster, G. D., and N. G. Lane. 1987. Crinoids from the Anchor Limestone (Lower Mississippian) of the Monte Cristo Group, southern Nevada, 56 p., 12 fig.	7.00
120	Ubaghs, G., and R. A. Robison. 1988. Homalozoan echinoderms of the Wheeler Formation (Middle Cambrian) of western Utah, 18 p., 11 fig.	5.00
121	Babcock, L. E., and R. A. Robison. Taxonomy and paleobiology of some Middle Cambrian <i>Scenella</i> (Cnidaria) and Hyolithids (Mollusca) from western North America, 22 p., 10 fig.	
122	Conway Morris, S., and R. A. Robison. 1988. More soft-bodied animals and algae from the Middle Cambrian of Utah and British Columbia, 48 p., 32 fig.	
	No. 121, 122. _____	9.00
123	Mikesh, D. L., B. F. Glenister, and W. M. Furnish. 1988. <i>Stenolobulites</i> n. gen., Early Permian ancestor of predominantly Late Permian Paragastrioceratid subfamily Pseudogastrioceratinae, 20 p., 10 fig.	5.00

ARTICLES ISSN 0075-5044

Out of Print: [4] Protozoa 1; [5-7] Protozoa 2, 3, 4; [35] Echinodermata 7; [62].

1	Jeffords, R. M. 1947. Pennsylvanian lophophyllidid corals (Coelenterata 1). 84 p., 28 pl., 9 fig.	10.00
2	Miller, A. K., and W. Youngquist. Lower Permian cephalopods from the Texas Colorado River Valley (Mollusca 1). 16 p., 3 pl., 4 fig.	

3	Miller, A. K., J. H. Lane, Jr., and A. G. Unklesbay. 1947. A nautiloid cephalopod cephalopod fauna from the Pennsylvanian Winterset Limestone of Jackson Country, Missouri (Mollusca 2). 12 p., 5 pl., 2 fig.	
	No. 2, 3 _____	7.00
4	Thompson, M. L. 1948. Studies of American Fusulinids (Protozoa 1), 184 p., 7 fig., 38 pl.	Out of Print
5	Lalicker, Cecil G. 1950. Foraminifera of the Ellis Group, Jurassic, at the Type Locality (Protozoa 2), 20 p., 5 fig., 4 pl.	
6	Loeblich, Alfred R. Jr., and Helen Tappan. 1950. Foraminifera of the Type Kiowa Shale, Lower Cretaceous, of Kansas (Protozoa 3), 15 p., 2 pl.	
7	Zeller, Edward J. 1950. Stratigraphic Significance of Mississippian Endothyroid Foraminifera (Protozoa 4), 23 p., 6 pl.	
	No. 5, 6, 7 _____	Out of Print
8	Leonard, A. B. 1950. A Yarmouthian molluscan fauna in the mid-continent region of the United States (Mollusca 3). 48 p., 6 pl., 4 fig.	7.00
9	Leonard, A. B. 1952. Illinoian and Wisconsinan molluscan faunas in Kansas (Mollusca 4). 38 p., 5 pl. 15 fig.	7.00
10	Peabody, Frank E. <i>Petrolacosaurus kansensis</i> Lane, a Pennsylvanian reptile from Kansas (Vertebrata 1). 42 p., 3 pl., 11 fig.	
11	Hibbard, C. W. 1952. Vertebrate fossils from late Cenozoic deposits of central Kansas (Vertebrata 2). 14 p., 14 fig.	
	No. 10, 11 _____	10.00
12	Fay, R. O. 1952. Catalogue of conodonts (Vertebrata 3). 206 p., 109 fig.	25.00
13	Galbreath, E. C. 1953. A contribution to the Tertiary geology and paleontology of northeastern Colorado (Vertebrata 4). 120 p., 2 pl., 26 fig.	25.00
14	Thompson, M. L. 1954. American Wolfcampian fusulinids (Protozoa 5). 126 p., 52 pl., 14 fig.	25.00
15	Jeffords, R. M. Septal arrangement and ontogeny in the porpitud corals (Coelenterata 2). 16 p., 3 pl., 4 fig.	
16	Jeffords, R. M. Mississippian corals from New Mexico and a related Pennsylvanian species (Coelenterata 3). 12 p., 2 pl., 3 fig.	
17	Bowsher, A. L. Origin and adaptation of platyceratid gastropods (Mollusca 5). 12 p., 2 pl., 1 fig.	
18	Bowsher, A. L. New genera of Mississippian camerate crinoids (Echinodermata 1). 24 p., 6 pl., 4 fig.	
19	Kirk, E. Publications by Shumard and McChesney concerning crinoids and other fossils (Echinodermata 2). 4 p.	
20	Galbreath, E. C. 1955. Skull and skeleton of a mustelid, <i>Brachypsalis</i> , from the Miocene of northeastern Colorado (Vertebrata 5). 16 p., 2 pl., 11 fig.	
	No. 15-20 _____	20.00
21	Flower, R. H., and C. Teichert. 1957. The cephalopod order Discosorida (Mollusca 6). 144 p., 43 pl., 34 fig.	20.00
22	Dawson, M. R. 1958. Later Tertiary Leporidae of North America (Vertebrata 6). 75 p., 2 pl., 39 fig.	15.00
23	Benson, R. H. 1959. Ecology of recent ostracodes of the Todos Santos Bay region, Baja California, Mexico (Arthropoda 1). 80 p., 11 pl., 20 fig.	15.00

- 24 Wilson, R. W. Early Miocene rodents and insectivores from northeastern Colorado (Vertebrata 7). 92 p., 131 fig.
- 25 Eaton, T. H., Jr., A new armored dinosaur from the Cretaceous of Kansas (Vertebrata 8), 21 fig., 2 tables.
- 26 Fagan, S. R. 1960. Osteology of *Mylagaulus laevis*, a fossorial rodent from the Upper Miocene of Colorado (Vertebrata 9). 30 p., 1 pl., 32 fig.
- No. 24-26 _____ 25.00
- 27 Fay, R. A. 1961. Blastoid studies (Echinodermata 3). 148 p., 54 pl., 221 fig. 25.00
- 28 Moore, R. C. Revision of Calceocrinidae (Echinodermata 4). 40 p., 3 pl., 21 fig.
- 29 Moore, R. C. Ray structures of some inadunate crinoids (Echinodermata 5). 48 p., 4 pl., 17 fig.
- 30 Fell, H. B. 1962. A living somasteroid, *Platasterias latiradiata* Gray (Echinodermata 6). 16 p., 4 pl., 8 fig.
- No. 28-30 _____ 25.00
- 31 Benson, R. H., and G. L. Coleman II. 1963. Recent marine ostracodes from the eastern Gulf of Mexico (Arthropoda 2). 52 p., 33 fig., 8 pl.
- 32 Benson, R. H., and R. L. Kaesler. 1963. Recent marine and lagoonal ostracodes from the Estero De Tastiota region, Sonora, Mexico (Northeastern Gulf of California) (Arthropoda 3). 34 p., 20 fig., 4 pl.
- 33 Benson, R. H., and H. C. MacDonald. 1963. Postglacial (Holocene) ostracodes from Lake Erie (Arthropoda 4). 26 p., 8 fig., 4 pl.
- No. 31-33 _____ 25.00
- 34 Benson, R. H., and R. F. Maddocks. 1964. Recent ostracodes of Knysna Estuary, Cape Province, Union of South Africa (Arthropoda 5). 40 p., 6 pl., 22 fig. 7.00
- 35 Van Sant, Jan F. and N. Gary Lane. 1964. Crawfordsville (Indiana) Crinoid Studies (Echinodermata 7), 136 p., 41 fig., 8 pl. Out of Print
- 36 Benson, R. H. 1964. Recent cytheracean ostracodes from McMurdo Sound and the Ross Sea, Antarctica (Arthropoda 6). 36 p., 4 pl., 25 fig. 7.00
- 37 Benson, R. H., and J. O. Tatro. 1964. Faunal description of Ostracoda of the Marlbrook Marl (Campanian), Arkansas (Arthropoda 7). 32 p., 6 pl., 15 fig. 7.00
- 38 Pooser, W. K. 1965. Biostratigraphy of Cenozoic Ostracoda from South Carolina (Arthropoda 8). 80 p., 22 pl., 7 fig. 15.00
- 39 Skinner, J. W., and G. L. Wilde. 1965. Permian biostratigraphy and fusulinid faunas of the Shasta Lake area, northern California (Protozoa 6). 98 p., 65 pl., 3 fig. 15.00
- 40 Bardack, D. 1965. Anatomy and evolution of chirocentrid fishes (Vertebrata 10). 88 p., 2 pl., 27 fig. 15.00
- 41 Fox, R. C., and M. C. Bowman. 1966. Osteology and relationships of *Captorhinus aguti* (Cope) (Reptilia: Captorhinomorpha) (Vertebrata 11). 80 p., 38 fig. 15.00
- 42 Jeletzky, J. A. 1966. Comparative morphology, phylogeny, and classification of fossil Coleoidea (Mollusca 7). 162 p., 25 pl., 15 fig. 25.00
- 43 Cuffey, R. J. 1967. Bryozoan *Tabulipora carbonaria* in Wreford Megacyclothem (Lower Permian) of Kansas (Bryozoa 1). 96 p., 9 pl., 33 fig. 15.00
- 44 Grossman, S., and R. H. Benson. 1967. Ecology of Rhizopodea and Ostracoda of southern Pamlico Sound region, North Carolina (Ecology 1). 112 p., including 21 pl., 19 fig. 15.00

- 45 Moore, R. C., R. M. Jeffords, and T. H. Miller. Morphological features of crinoid columns (Echinodermata 8). 30 p., 4 pl., 5 fig.
- 46 Moore, R. C., and R. M. Jeffords. Classification and nomenclature of fossil crinoids based on studies of dissociated parts of their columns (Echinodermata 9). 114 p., 28 pl., 6 fig.
- 47 Jeffords, R. M., and T. H. Miller. Ontogenetic development in Late Pennsylvanian crinoid columnals and pluricolumnals (Echinodermata 10). 14 p., 4 pl., 4 fig.
Moore, R. C., R. M. Jeffords, and T. H. Miller. Supplement . . . [Collecting localities, references, and index]. 18 p.
No. 45-47 and Supplement, 1968 _____ 20.00
- 48 Gartner, S., Jr. 1968. Coccoliths and related calcareous nannofossils from Upper Cretaceous deposits of Texas and Arkansas (Protista 1). 84 p., 28 pl., 5 fig. 15.00
- 49 Sliter, W. V. 1968. Upper Cretaceous Foraminifera from southern California and northwestern Baja California, Mexico (Protozoa 7). 142 p., 24 pl., 9 fig. 25.00
- 50 Lillegraven, J. A. 1969. Latest Cretaceous mammals of upper part of Edmonton Formation of Alberta, Canada, and review of marsupial- placental dichotomy in mammalian evolution (Vertebrata 12). 122 p., 53 fig. 25.00
- 51 Bukry, D. 1969. Upper Cretaceous coccoliths from Texas and Europe (Protista 2). 116 p., 40 pl., 1 fig. 15.00
- 52 Scott, R. W. 1970. Paleocology and paleontology of the Lower Cretaceous Kiowa Formation, Kansas (Cretaceous 1). 94 p., 7 pl., 21 fig. 15.00
- 53 Frey, R. W. 1970. Trace fossils of Fort Hays Limestone Member of Niobrara Chalk (Upper Cretaceous), west-central Kansas (Cretaceous 2). 52 p., 10 pl., 5 fig. 7.00
- 54 Cocke, J. M. 1970. Dissepimental rugose corals of Upper Pennsylvanian (Missourian) rocks of Kansas (Coelenterata 4). 76 p., 8 pl., 11 fig. 15.00
- 55 Strimple, H. L., and R. C. Moore. 1971. Crinoids of the LaSalle Limestone (Pennsylvanian) of Illinois (Echinodermata 11). 48 p., 23 pl., 19 fig. 10.00
- 56 Newton, G. B. 1971. Rhabdomesid bryozoans of the Wreford Megacyclothem (Wolfcampian, Permian) of Nebraska, Kansas, and Oklahoma (Bryozoa 2). 74 p., 2 pl., 19 fig. 15.00
- 57 Lamb, J. L. and J. H. Beard. 1972. Late Neogene planktonic foraminifers in the Caribbean, Gulf of Mexico, and Italian stratotypes (Protozoa 8). 67 p., 25 fig., 36b pl., 10 tables. 15.00
- 58 Frey, R. W. 1972. Paleocology and depositional environment of Fort Hays Limestone Member, Niobrara Chalk (Upper Cretaceous), west-central Kansas (Cretaceous 3). 88 p., 15 pl., 14 fig. 15.00
- 59 von Bitter, P. H. 1972. Environmental control of conodont distribution in the Shawnee Group (Upper Pennsylvanian) of eastern Kansas. 124 p., 16 pl., 18 fig. 25.00
- 60 Moore, R. C., and H. L. Strimple. 1973. Lower Pennsylvanian (Morrowan) crinoids from Arkansas, Oklahoma, and Texas (Echinodermata 12). 84 p., 18 pl., 7 fig. 15.00
- 61 Krause, F. F., and A. J. Rowell. 1975. Distribution and systematics of the inarticulate brachiopods of the Ordovician carbonate mud mound of Meiklejohn Peak, Nevada. 86 p., 12 pl., 60 fig. 15.00
- 62 Stainforth, R. M., J. L. Lamb, Hanspeter Luterbacher, J. H. Beard, and R. M. Jeffords. 1975. Cenozoic Planktonic Foraminiferal Zonation and Characteristics of Index Forms, 425 p., 213 fig., 8 tables. Two volumes with Appendix. Out of Print
- 63 Hakes, W. G. 1976. Trace fossils and depositional environment of four clastic units, Upper Pennsylvanian megacyclothems, northeast Kansas. 60 p., 13 pl., 11 fig. 10.00

- 64 Mapes, Royal H. 1979. Carboniferous and Permian Bactritoidea (Cephalopoda) in North America, 75 p., 14 fig., 41 pl. 20.00
- 65 Stanley, G. D., Jr. 1979. Paleoecology, structure, and distribution of Triassic coral buildups in western North America. 70 p., 10 pl., 11 fig. 10.00
- 66 Lamb, J. L., and T. H. Miller. 1984. Stratigraphic significance of uvigerinid foraminifers in the Western Hemisphere. 100 p., including 40 pl., 3 fig. 25.00

MONOGRAPHS ISSN 0278-9744

- 1 Sprinkle, J. (ed.). 1982. Echinoderm Faunas from the Bromide Formation (Middle Ordovician) of Oklahoma. 370 p., 113 fig., diagram in back pocket, 42 pl. 25.00
- 2 Maddocks, Rosalie F. 1990. Living and Fossil Macrocyprididae (Ostracoda). 404 p., 13 text-fig., 80 fig., 114 pl. 35.00

Updated 8/19/2013